

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

	revisions		
REV	DESCRIPTION	DATE	INITIAL APPROVED





NOTE: REF. EUROCOPTER T/N: 332A93-3405-00.

RED BARN MACHINE

SHAFT BEARING TAIL DRIVE ASSY. TOOL

DRAWN BY: CLOUGH

DWG NO. RBE332A93-3405-00


MAT'L


			WISE SPECIFIED	APPROVED	D Weil	
1	PG.	.XXX ± .005	RACTIONS ± 1/32	HEAT TREAT		
		.XX ± .01	ANGLES ±.5°	FINISH CAD PLATE YELLOW		
		1. BREAK ALL SHARP	EDGES .015 x 45°	SPEC QQ-P-4	116F, TYPE II, CLASS II	
	2	OR .015R 2. DIMENSIONAL LIMI	TS ADDI V AETED	USED ON MODEL		
		PLATING		AS332		
	3	SCALE 1:1	DATE 7/2	23/2013	SHEET 1 OF 3	

ASSY QTY	ASSY QTY	В/О	Part #	UNIT	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	TUBE	1018	Ø2 O.D. X 3/16 WALL X 3-7/8	2
			-3	1	CAP	1018	Ø2-1/4 X 1/4	3

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS REV DESCRIPTION INITIAL APPROVED





TUBE

RBE332A93-3405-00-1 MAT'L 1018

DATE

DRAWN BY: CLOUGH UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 FRISH .XX ± .01 ANGLES ± .5° FRISH .XX ± .1 SEE SHEET 1 USED ON MODEL

1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING

1:1

SCALE

AS332 7/23/2013

RED BARN MACHINE

"SHAFT BEARING TAIL DRIVE ASSY. TOOL

SHEET 2 OF 3

